

IN THE CLAIMS:

1. (Currently Amended) A method comprising:

upon accessing content a first time, displaying the content on a display screen in a first rendering mode,

collecting a second, user-preferred rendering mode,

showing the content according to said second ~~a-second~~, user-preferred rendering mode,

correlating the second, user-preferred rendering mode to an origin of the content, and

subsequently accessing ~~the content,~~ or a revised version of the content from said origin, in the second, user-preferred rendering mode without displaying the content in the first rendering mode, said revised version having been revised during a time interval after said showing of the content according to said second, user-preferred rendering mode, and before said subsequently accessing said revised version,

wherein said revised version of the content is accessed without a bookmark, in response to directly typing a uniform resource locator or network path, and

wherein the second, user-preferred rendering mode is a normal rendering mode, a re-authored mode, a narrow small screen rendering mode, or includes an overview according to a thumbnail small screen rendering mode.

2. CANCEL.

3. (Currently Amended) The method of claim 1 ~~claim 2~~, wherein ~~the origin is indicated by a uniform resource locator, and~~ the content is accessed via the internet.

4. (Currently Amended) The method of claim 1, wherein the first rendering mode is a default rendering mode that is ~~specified for a particular type of the content, or is specified by a~~ provider of the content in source code.
5. CANCEL.
6. CANCEL.
7. CANCEL.
8. CANCEL.
9. (Original) The method of claim 3, wherein the content accessed via the internet requires downloading an amount of data dependent upon what rendering mode is employed.
10. (Original) The method of claim 1, wherein the method is performed iteratively, if the user has a change of preference.
11. (Original) A computer-readable medium encoded with a software data structure for performing the method of claim 1.
12. CANCEL.
13. CANCEL.
14. CANCEL.

15. CANCEL

16. CANCEL.

17. CANCEL.

18. (Currently Amended) A method comprising:

upon accessing content a first time, displaying the content on a display screen in a first rendering mode,

collecting a second, user-preferred rendering mode,

showing the content according to said second ~~a second~~, user-preferred rendering mode,

correlating the second, user-preferred rendering mode to an origin of the content, and

subsequently accessing ~~the content~~, or a revised version of the content from said origin, in the second, user-preferred rendering mode without further indication of a user preference, said revised version having been revised during a time interval after said showing of the content according to said second, user-preferred rendering mode, and before said subsequently accessing said revised version,

wherein said revised version of the content is accessed without a bookmark, in response to directly typing a uniform resource locator or network path, and

wherein the second, user-preferred rendering mode is a normal rendering mode, a re-authored mode, a narrow small screen rendering mode, or includes an overview according to a thumbnail small screen rendering mode.

19. CANCEL.

20. (Currently Amended) The method of claim 18 ~~claim 19~~, wherein ~~the origin is indicated by a uniform resource locator, and~~ the content is accessed via the internet.

21. (Currently Amended) A computer-readable medium encoded with a software data structure for performing the functions of:

upon accessing content a first time, displaying the content on a display screen in a first rendering mode,

collecting a second, user-preferred rendering mode,

showing the content according to said second ~~a second~~, user-preferred rendering mode,

correlating the second, user-preferred rendering mode to an origin of the content, and

subsequently accessing ~~the content, or~~ a revised version of the content from said origin, in the second, user-preferred rendering mode without displaying the content in the first rendering mode, said revised version having been revised during a time interval after said showing of the content according to said second, user-preferred rendering mode, and before said subsequently accessing said revised version,

wherein said revised version of the content is accessed without a bookmark, in response to directly typing a uniform resource locator or network path, and

wherein the second, user-preferred rendering mode is a normal rendering mode, a re-authored mode, a narrow small screen rendering mode, or includes an overview according to a thumbnail small screen rendering mode.

22. CANCEL.

23. (Previously Presented) The computer-readable medium of claim 21 ~~claim 22~~, wherein ~~the origin is indicated by a uniform resource locator, and~~ the content is accessed via the internet.

24. (Currently Amended) A terminal comprising:

means for collecting a second, user-preferred rendering mode,

means for displaying content on a display screen in a first rendering mode, upon accessing content a first time, and for showing the content according to said second ~~a second~~, user-preferred rendering mode;

means for correlating the second, user-preferred rendering mode to an origin of the content, and

means for subsequently accessing ~~the content,~~ or a revised version of the content from said origin, in the second, user-preferred rendering mode without displaying the content in the first rendering mode, said revised version having been revised during a time interval after said showing of the content according to said second, user-preferred rendering mode, and before said subsequently accessing said revised version,

wherein said means for subsequently accessing said revised version of the content is configured to access the revised version without a bookmark, in response to directly typing a uniform resource locator or network path, and

wherein the second, user-preferred rendering mode is a normal rendering mode, a re-authored mode, a narrow small screen rendering mode, or includes an overview according to a thumbnail small screen rendering mode.

25. CANCEL.

26. (Currently Amended) The terminal of claim 24 ~~claim 25~~, wherein ~~the origin is indicated by a uniform resource locator,~~ and the content is accessed via the internet.

27. (Currently Amended) A terminal comprising:

user input device configured to collect a second, user-preferred rendering mode,

display screen configured to display content in a first rendering mode, upon accessing content a first time, and further configured to show the content according to said second a ~~second~~, user-preferred rendering mode; and

correlation module configured to correlate the second, user-preferred rendering mode to an origin of the content;

wherein said user input device is further configured to subsequently access the content, or a revised version of the content, in the second, user-preferred rendering mode without displaying the content in the first rendering mode, said revised version having been revised during a time interval after said showing of the content according to said second, user-preferred rendering mode, and before said subsequently accessing said revised version,

wherein said user input device is further configured to access the revised version without a bookmark, in response to directly typing a uniform resource locator or network path, and

wherein the second, user-preferred rendering mode is a normal rendering mode, a re-authored mode, a narrow small screen rendering mode, or includes an overview according to a thumbnail small screen rendering mode.

28. CANCEL.

29. (Currently Amended) The terminal of claim 27, wherein ~~the origin is indicated by a uniform resource locator, and~~ the content is accessed via the internet.